

FireCR Flash Veterinary Readers

- Crystal-clear image quality
- Scanning speeds to meet every need
- Compact & wall-mountable to fit anywhere



The CR Solution for Veterinary Professionals!

Introducing the FireCR Flash Veterinary Readers from 3DISC Imaging—with new features inside and out to meet a full range of veterinary imaging needs.

Superior Image Quality

The new FireCR Flash Veterinary product line features technology advances pioneered by 3DISC Imaging that result in the highest signal collection efficiency—providing the crystal-clear image quality you need for veterinary imaging applications.

All-New Design

The FireCR Flash Veterinary Reader is small and light. This compact size allows the readers to be placed on a counter or wall-mounted, perfect for even the most space-challenged veterinary practice or clinic. The FireCR Flash accommodates a range of cassette sizes to meet every imaging need—including a unique veterinary dental cassette. And cassettes feature advanced engineering that makes them remarkably strong and robust. Also new is a convenient USB 2.0/Ethernet interface.

Unmatched Flexibility

The FireCR Flash Veterinary product line offers a variety of imaging speeds, providing solutions to meet any requirements and budget. And, when needs change, the readers can be affordably and easily upgraded in the field for faster throughput.

Only from 3DISC Imaging

No other company offers this unique combination of models, features, and options, providing unmatched value and flexibility for your veterinary practice or clinic—and ensuring that your technology investment is protected.

\bigcirc

HIGHLIGHTS

- Crystal-clear image quality
- Fast—up to 70 full-size plates per hour
- Field upgradeable to protect technology investment
- Ultra-light, compact & wall-mountable
- New strong, robust cassettes
- Accommodates three standard cassette sizes
- Unique veterinary dental cassette
- Automatic cassette & plate handling
- One step, integrated scanning & erasing
- Rugged, torsion stabilized optics
- Fanless system prevents dust contamination
- Quiet, stable & low-maintenance

Experience the Benefits of FireCR Flash Veterinary Readers

Proven Technology

3DISC Imaging's pioneering FireCR Flash Veterinary technology delivers the image quality you need, along with increased stability and reliability. The system is easy to install, use, and maintain, and integrates seamlessly into your practice's information system.

Optimized Imaging Parameters

With FireCR Flash Veterinary Readers, all imaging parameters are optimized, resulting in high-quality digital images that can be enhanced, enlarged, duplicated, and sent to any location in seconds with no loss of resolution.

Compact & Ultra-Light

FireCR Flash Veterinary Readers are extremely compact and lightweight. Under 48 pounds and just over 5 inches tall, they are ideal for locations where space is at a premium—and can be wall-mounted to fit in even the most space-challenged practices. They also can be transported directly to the animal—ideal for the offsite imaging needs of large-animal practices.

High Throughput

FireCR Flash Veterinary Readers are designed to provide the high throughput of an ultra-fast single-plate CR system. With scan speeds of up to 70 full-size imaging plates per hour, FireCR Flash Veterinary Readers keep up with even the busiest clinical environments.

New Cassettes

FireCR Flash Veterinary Readers feature new cassettes that have been engineered to stand up to the handling challenges in busy veterinary practices and clinics. A specially designed metal plate "carries" the imaging plate through the system, reducing the chance of damage and prolonging the life of valuable imaging plates.

New "Dental Ready" Veterinary Cassette

A unique new veterinary dental cassette now allows practices without a dedicated FireCR Dental Reader to scan dental imaging plates using the FireCR Flash Veterinary Reader. This "dental ready" capability provides a cost-effective dental imaging solution for your practice. As your dental imaging needs grow, simply add a FireCR Dental Reader for increased image quality.



FireCR Flash Veterinary Reader Product Line

- FireCR Flash 70 Reader
- FireCR Flash 50 Reader
- FireCR Flash 30 Reader

Join the growing number of practices relying on the highly flexible FireCR Flash Veterinary system, capable of efficiently handling the everyday needs of professionals in veterinary clinics of any size.

- Exceptional image quality
- Select from three models depending on your imaging speed requirements
- Upgrade as your imaging volume increases
- Compact, lightweight & wall-mountable for space-challenged practices
- Scans a full range of cassette sizes—including an 18 cm x 24 cm cassette that is perfect for equine examinations and an innovative veterinary dental cassette
- Features QuantorVet⁺ Imaging Software—next generation workstation software with an easy-to-use interface for intuitive & fast operation



Vertical Wall Mount

- Provides a footprint of just over 5 inches
- Allows installation in clinics with limited space



Cassettes

FireCR Flash Veterinary Readers accommodate a full range of the most-used cassette sizes:

- 35 cm x 43 cm
- 24 cm x 30 cm
- 18 cm x 24 cm



Veterinary Dental Cassette

- Cassette size 24cm x 30cm
- Available IP sizes: 0, 1, 2, 3, 4c and 4

Tailor a System to Meet Your Needs

- Are you a high-volume veterinary practice or busy animal hospital needing fast imaging speed?
- A specialty large-animal practice with a need for mobile imaging capabilities?
- A practice looking for a cost-effective way to scan dental images?
- Or a smaller practice with a tight budget but plans to grow?

A FireCR Flash Veterinary Reader from 3DISC Imaging with features and options tailored to <u>YOUR</u> needs is the answer.



Why 3DISC Imaging?

3DISC Imaging is a pioneer in developing quality imaging products for the medical, dental, chiropractic, and veterinary markets. The company provides highly productive, compact devices and software solutions that deliver uncompromising image quality at an affordable price—along with the flexibility that helps you grow. The company's leading-edge products are supporting the imaging needs of a growing number of hospitals, clinics, specialty and veterinary practices, and dental offices worldwide.

SPECIFICATIONS	
Cassette sizes:	35cm x 43cm, 24cm x 30cm, 18cm x 24cm
Dental Imaging Plate sizes:	0: (22 x 31 mm), 1: (24 x 40 mm), 2: (31 x 41 mm), 3: (27 x 54 mm), 4c: (48 x 54 mm), 4: (57 x 76 mm)
System set-up options:	Tabletop • Vertical wall mount
Selectable Pixel Size:	High: 100µm • Standard: 200µm
Throughput:	Medical 70: Up to 70 plates/hour (35cm x 43cm)
	Medical 50: Up to 50 plates/hour (35cm x 43cm)
	Medical 30: Up to 30 plates/hour (35cm x 43cm)
Resolution:	Data Capture: 16-bits per pixel, 65,535 graytones
Dimensions (H x W x D):	5.3" x 17.5" x 31.3" (134 x 444 x 795 mm)
Weight:	46.7 lbs (21.5kg)
Software:	Image File Formats: DICOM 3.0, TIFF, BMP, JPEG • DICOM Send • Image Viewer • Window Level
	Multi Frequency Image Processing • Zoom, Cropping, Mark • User defined LUT • DICOM Print • CD/DVD Burning
Computer workstation	Intel Core i5
recommended requirements:	500 Gigabytes Hard Disk, 4 Gigabyte RAM
	Windows 7 & 8 (32-bit & 64-bit)
	CD/DVD, 3 USB 2.0 ports, 1 Gbps Ethernet
	Monitor: 1920x1080, 1440x900, DVI Interface
Power requirements:	110/220/240V, 60/50cs • UPS required
Regulatory approvals:	FDA 510(k) (pending) • CE (pending) • UL, cUL, FCC • Not approved for mammography
Safety Standards:	EN 60601-1 • EN 60825-1 • EN 60601-2
Operating conditions:	Temperature: 59-86 Fahrenheit (15-30 Celsius) • Temperature Gradient: 0.5 Deg. Celsius / Min.
	Humidity: 15%-95% RH • Magnetic Field: Max. 1260 Micro Tesla

Specific results may vary since operating conditions fluctuate.

We reserve the right to modify specifications without prior notice.

 $\textit{FireCR}, \textit{FireCRF} and \textit{Control} (\texttt{3DISC}, \texttt{3DISC}, \texttt{3DISC}, \texttt{3DISC}, \texttt{Maging}, \texttt{QuantorMed}, \texttt{QuantorMed}^{\dagger}, \texttt{QuantorMed}^{\dagger}, \texttt{QuantorMet}, \texttt{QuantorMed}^{\dagger}, \texttt{QuantorMed}, \texttt{QuantorMed}^{\dagger}, \texttt{QuantorM$

© 2013 3DISC Imaging

3DISC Americas, Inc.
22560 Glenn Drive, Suite 116
Sterling, VA 20164, United States
Tel: +1 800 570 0363
Fax: +1 703 430 8320

3DISC Europe ApS Gydevang 39-41 3450 Alleroed, Denma Tel: +45 88 276 650

Fax: +45 88 276 651

3D Imaging & Simulations Corp. (3DISC) 815, Tamnip-Dong, Yuseong-Gu,

Daejeon, Korea
Tel: +82 42 931 2100
Fax: +82 42 931 2299

www.3DISCimaging.com sales@3DISCimaging.com